

NLG Tether Ring™, Medium

Product Code:
101273

Max Load:
1 KG / 2.2 LBS



OVERVIEW

Tether Rings™ are an easy-to-use and simple solution to create a tether point on tools with a captive hole or shaped mid-section. Coming in small, medium and large with a load rating of 1kg they are a great way to create a secure tether point on a variety of small hand tools.

VIEW ONLINE

<https://neverletgo.com/products/tether-ring-medium/>

NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).

Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

| | | |
|-------------------------|--|---|
| DESCRIPTION | <p>NLG Tether Rings™ are an economical solution for creating a tether point on a tool with a captive hole. Shaped tools, such as spanners, are also particularly suited to this type of attachment as the Tether Rings™ move freely along the length of the tool and allow the tool to rotate through 360 degrees.</p> <p>Quick and simple to apply, the NLG Tether Ring™ only requires a pair of pliers to open and wind onto the tool similar to a key ring.</p> <p>The NLG Tether Rings™ are specially coated to prevent corrosion and provide a dependable tether point for the harshest working environments.</p> | |
| FEATURES | <p>Cost-effective tether point for a broad range of tools</p> <p>Straightforward installation process</p> <p>Durable metal construction</p> <p>Anti-corrosion coating for use in harsh environments</p> | |
| TECHNICAL SPECIFICATION | <p>Max Load: 1 KG / 2.2 LBS</p> <p>Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)</p> <p>NLG ID™ Technology / Scannable Compatible</p> <p>Unique Serial Number</p> <p>Dimensions: 25mm (Diameter)</p> <p>Max Lanyard Length: 200 CM / 78 IN</p> | |
| RETAIL | <p>EAN (GTIN-13)</p> <p>5060572180017</p> | <p>UNIT WEIGHT (G)</p> <p>4</p> |
| SHIPPING | <p>HS CODE</p> <p>7326.90.9890</p> | <p>COUNTRY OF ORIGIN</p> <p>Taiwan</p> |



Tether Ring™, Medium
Product Code: 101273

View online

<https://neverletgo.com/products/tether-ring-medium/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
