


NLG Non-Conductive D Ring Tool Tether

Product Code:
101375

Max Load:
1 KG / 2.2 LBS



OVERVIEW

The Non-Conductive D Ring Tool Tether is an easy-to-use tether point designed to create a metal-free attachment point on small hand tools. As part of our Instant Tether System™ when paired with Tether Tape™ it is easily fitted to tools to create a secure tether point to attach a tool lanyard.

VIEW ONLINE

<https://neverletgo.com/products/non-conductive-d-ring-tool-tether/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party
tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

The Non-Conductive D Ring Tool Tether forms part of the unique Instant Tether System™ for stopping dropped objects and is well established as the preferred option for workers at height. They can be retrofitted to almost any tool avoiding the unnecessary expense of buying new tools or the associated downtime of sending tools off-site to be adapted for tethering. When used with Tether Tape™, the Non-conductive D Ring Tool Tether provides a solution to a multitude of tools commonly used at work. This metal-free version is uniquely suited to electrical work or using near sensitive surfaces.

FEATURES

Non-conductive, lightweight ballistic plastic D Ring
 Extended product life with high strength, wear-resistant webbing
 Extra deep catch design for ultimate security
 Faster visual inspections with contrast stitching
 Designed to be paired with Tether Tape™ as part of the NLG Instant Tether System™

TECHNICAL SPECIFICATION

Max Load: 1 KG / 2.2 LBS
 Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)
 NLG ID™ Technology / Scannable Compatible
 Unique Serial Number
 Dimensions: 60mm (L) x 12mm (W)
 Max Lanyard Length: 200 CM / 78 IN

RETAIL

EAN (GTIN-13)
 5060572180062

UNIT WEIGHT (G)
 5

SHIPPING

HS CODE
 6307.90.9899

COUNTRY OF ORIGIN
 Poland



Non-Conductive D Ring Tool Tether

Product Code: 101375

View online

<https://neverletgo.com/products/non-conductive-d-ring-tool-tether/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
