

NLG Short Coil Tool Lanyard, Non Conductive

Product Code:
101376

Max Load:
1 KG / 2.2 LBS



OVERVIEW

The Short Coil Tool Lanyard, Non Conductive has been specifically designed for environments that demand metal-free equipment. Pairing well with a wristband, its ultra-compact durable design helps avoid tangles and the durable rotating clips allow for freedom of movement.

VIEW ONLINE

<https://neverletgo.com/products/short-coil-tool-lanyard-non-conductive/>



NLG ID™

Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

The NLG Non-conductive Short Coil Tool Lanyard has been developed for use in areas demanding metal-free products - for example, electrical work, hygiene areas and nuclear industries. The heat and puncture-resistant coating encapsulates a reinforced, non-conductive core with plastic rotating connectors at each end.

The compact design of the coil and the 360° rotating connectors help to reduce tangles and allow the tool to rotate freely whilst in use.

Pairing the Non-conductive Short Coil Lanyard with the Adjustable Wristband creates an ultra-compact and secure tethering solution ideal for confined spaces.

FEATURES

Ultra-compact design stays neatly out of the way and reduces snagging hazards

Non-conductive design

Ideal for use with NLG Wristband

Sleek 360° connector helps reduce tangles

Anti-puncture wipe clean sleeve makes cleaning easy

TECHNICAL SPECIFICATION

Max Load: 1 KG / 2.2 LBS

Safety Standards: CE / UKCA, NS 9611:2022+AC

Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)

NLG ID™ Technology / Scannable Compatible

Unique Serial Number

Dimensions: Extends from 4cm to 70cm

RETAIL

EAN (GTIN-13)
5060572180208

UNIT WEIGHT (G)
30

SHIPPING

HS CODE
7326.90.9890

COUNTRY OF ORIGIN
Taiwan



Short Coil Tool Lanyard, Non Conductive

Product Code: 101376

View online

<https://neverletgo.com/products/short-coil-tool-lanyard-non-conductive/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG[®] and Never Let Go[®] are registered trademarks.
