

NLG Locking Retractable Tool Lanyard Product Code: 101389 Max Load: 1 KG / 2.2 LBS



OVERVIEW

The Locking Retractable Tool Lanyard features an ultra-low profile durable design and a self-retracting mechanism to avoid snagging in confined spaces. The double-action stainless steel carabiners allow for easy attachment and the locking mechanism provides instant lock-out at any point.

VIEW ONLINE

https://neverletgo.com/products/locking-retra ctable-tool-lanyard/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	The Locking Retractable Lanyard is an lanyard tool designed to fit onto any ar carabiner. The compact design is ideal for confin 360°coverage and free movement wha The unique locking mechanism can be to lock out your tool at a desired length required. The rot-proof and rust-proof lifespan and almost maintenance-free	ed spaces and provides almost atever the position. activated at any position allowing you n and can be quickly released when webbing coil ensures a long product
FEATURES	Locking mechanism allows instant lock-out at any point Durable double-action stainless steel carabiners Retractable design reduces snagging hazards in confined spaces Anti-tamper security markings protect unit integrity	
TECHNICAL SPECIFICATION	Max Load: 1 KG / 2.2 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: Extends from 30cm to 140cm	
RETAIL	EAN (GTIN-13) 5060572180369	UNIT WEIGHT (G) 180
SHIPPING	HS CODE 7907.00.0000	COUNTRY OF ORIGIN USA



Locking Retractable Tool Lanyard Product Code: 101389

View online https://neverletgo.com/products/lockingretractable-tool-lanyard/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks.