

NLG Extended Bungee Tool Lanyard

Product Code:
101434

Max Load:
5 KG / 11 LBS



OVERVIEW

The Extended Bungee Tool Lanyard is ideal for reach tasks or working directly from a tool bag. The easy stretch bungee allows for 2 metres of reach and the dual Quick Clips™ help avoid tangles whilst providing easy attachment to the tool and anchor point.

VIEW ONLINE

<https://neverletgo.com/products/extended-bungee-tool-lanyard/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party
tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	<p>The Extended Bungee Lanyard easily extends to 2m allowing heavier tools to be connected to anchor points, both on and off the user. It is ideally suited for attaching to connection points within NLG's range of bags for working at height.</p> <p>Equipped with the 360° Quick Clip™ connectors at each end, the NLG Extended Bungee Tool Lanyard remains tangle-free even when used with tools that must rotate freely such as screwdrivers, spanners etc. Quick Clips™ are ergonomically designed for quick connection and disconnection with a built-in trigger to facilitate use when wearing gloves.</p>	
FEATURES	<p>Reduced bungee tension allows for precision control and comfortable handling</p> <p>Dual Quick Clips™ provide effortless and secure attachment as well as anti-tangle functionality</p> <p>Extended product life with high strength, wear-resistant webbing</p> <p>Faster visual inspections with contrast stitching</p> <p>Clever contrast wear indicators ensure early warning of any structural damage</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 5 KG / 11 LBS</p> <p>Safety Standards: CE / UKCA, NS 9611:2022+AC</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)</p> <p>NLG ID™ Technology / Scannable Compatible</p> <p>Unique Serial Number</p> <p>Dimensions: Extends from 100cm to 210cm</p>	
RETAIL	<p>EAN (GTIN-13)</p> <p>5060572180291</p>	<p>UNIT WEIGHT (G)</p> <p>130</p>
SHIPPING	<p>HS CODE</p> <p>5609.00.0000</p>	<p>COUNTRY OF ORIGIN</p> <p>Taiwan</p>



Extended Bungee Tool Lanyard

Product Code: 101434

View online

<https://neverletgo.com/products/extended-bungee-tool-lanyard/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
