

# NLG Heavy Duty Retractable Tool Lanyard

Product Code:  
101450

Max Load:  
3 KG / 6.6 LBS



## OVERVIEW

The Heavy Duty Retractable Tool Lanyard is the ideal solution for securing heavier tools when working in confined spaces. It can quickly attach to your belt or anchor point using the removable back bridge and the anti-tangle 360° Rotobiner™ allows for full freedom of movement for your tool.

## VIEW ONLINE

<https://neverletgo.com/products/retractable-tool-lanyard-carabiner/>



## NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



## Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact [team@neverletgo.com](mailto:team@neverletgo.com).

DESCRIPTION

The Heavy Duty Retractable Tool Lanyard is packed with features and built to take whatever conditions are thrown at it. The durable design features an ABS casing with rubberised coating for improved grip with 2mm stainless cable that's PU coated for additional protection. For attachment, it features an integral belt loop and a 360° Rotobiner™ for easy tool attachment and full freedom of movement. This Retractable Tool Lanyard can be fitted directly onto a belt or harness or can be used in conjunction with the Retractable Loop Attachment (101455) to create a retractable lanyard that will attach to any anchor point. The Retractable Tool Lanyard is ideal to use in areas where the workspace is confined or where the use of more than one lanyard is not practical.

FEATURES

Fully rubberised ABS housing with improved skeletal frame for the harshest environments  
 Removable back bridge offers versatility with a direct connection to a belt or harness  
 PU-coated wire cable is durable and easy to clean  
 Lightweight, fully anodised aluminium carabiner with anti-tangle swivel mechanism  
 Retractable design reduces snagging hazards in confined spaces  
 Compatible with Retractable Loop Attachment (101455) for fast anchoring

TECHNICAL SPECIFICATION

Max Load: 3 KG / 6.6 LBS  
 Safety Standards: ANSI/ISEA 121-2018, CE / UKCA  
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)

Unique Serial Number  
 Dimensions: Extends from 20cm to 135cm

RETAIL

**EAN (GTIN-13)**  
 5060572180338

**UNIT WEIGHT (G)**  
 195

SHIPPING

**HS CODE**  
 7907.00.0000

**COUNTRY OF ORIGIN**  
 Taiwan



# Heavy Duty Retractable Tool Lanyard

Product Code: 101450

---

View online

<https://neverletgo.com/products/retractable-tool-lanyard-carabiner/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

---

## CONTACT

+44 (0)330 016 0030

[neverletgo.com](https://neverletgo.com)

---

## INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

---

## LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.

---