

NLG Retractable Loop Attachment

Product Code:
101455

Max Load:
5 KG / 11 LBS



OVERVIEW

The Retractable Loop Attachment has been specifically designed to securely and easily anchor the Heavy Duty Retractable Tool Lanyard directly to a rail, belt or harness. Featuring a 360° rotating design and a toughened double-action buckle, it was built with ease of use and safety in mind.

VIEW ONLINE

<https://neverletgo.com/products/retractable-loop-attachment/>



NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	<p>The Retractable Loop Attachment has been developed to use in conjunction with the NLG Heavy Duty Retractable Tool Lanyard (101450) so that it can be anchored from a harness, belt, handrail, or fixed anchor point.</p> <p>The lower webbing section is securely locked into the belt bracket of the retractable tool lanyard, whilst the ballistic-grade ABS buckle of the upper section creates a quick and easy means of attaching the unit to an anchor point.</p>	
FEATURES	<p>Compatible with NLG Retractable Tool Lanyard series Toughened double action buckle for faster and more secure connections Anti-tangle connector built-in with 360° rotation Extended product life with high strength, wear-resistant webbing</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 5 KG / 11 LBS</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)</p> <p>Unique Serial Number Dimensions: 27cm (L) x 5cm (W)</p>	
RETAIL	<p>EAN (GTIN-13) 5060572180277</p>	<p>UNIT WEIGHT (G) 100</p>
SHIPPING	<p>HS CODE 5609.00.0000</p>	<p>COUNTRY OF ORIGIN Taiwan</p>



Retractable Loop Attachment

Product Code: 101455

View online

<https://neverletgo.com/products/retractable-loop-attachment/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG[®] and Never Let Go[®] are registered trademarks.
