

NLG Retractable Quick Clip™ Attachment

Product Code:
101456

Max Load:
5 KG / 11 LBS



OVERVIEW

The Retractable Quick Clip™ Attachment has been specifically designed to securely anchor the Heavy Duty Retractable Tool Lanyard to a D Ring style anchor point. Featuring the Quick Clip™ it can be quickly and easily attached to a D Ring, even when wearing gloves.

VIEW ONLINE

<https://neverletgo.com/products/retractable-quick-clip-attachment/>



NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	<p>The Retractable Quick Clip™ Attachment has been developed to enable the NLG Heavy Duty Retractable Tool Lanyard (101450) to be used with any D ring-type anchor or similar anchor point. The Quick Clip™ facilitates easy connection even for operators wearing gloves due to its ergonomic trigger design.</p> <p>The attachment transforms the Heavy Duty Retractable Tool Lanyard into a unit that can rotate freely through 360°.</p>	
FEATURES	<p>Compatible with NLG Retractable Tool Lanyard series</p> <p>Quick Clip™ provide effortless and secure attachment as well as anti-tangle functionality</p> <p>Extended product life with high strength, wear-resistant webbing</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 5 KG / 11 LBS</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)</p> <p>Unique Serial Number</p> <p>Dimensions: 14cm (L) x 5cm (W)</p>	
RETAIL	<p>EAN (GTIN-13) 5060572180284</p>	<p>UNIT WEIGHT (G) 50</p>
SHIPPING	<p>HS CODE 5609.00.0000</p>	<p>COUNTRY OF ORIGIN Taiwan</p>



Retractable Quick Clip™ Attachment

Product Code: 101456

View online

<https://neverletgo.com/products/retractable-quick-clip-attachment/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
