

NLG Mini Retractable Tool Lanyard

Product Code:
101480

Max Load:
0.5 KG / 1.1 LBS



OVERVIEW

Despite its compact size the Mini Retractable tool Lanyard still offers exceptional functionality and strength. Featuring an easy-to-use carabiner to attach to an anchor point and a 360° split ring connector which directly mounts to your tool, it really is the ultimate small retractable lanyard.

VIEW ONLINE

<https://neverletgo.com/products/mini-retractable-tool-lanyard/>



NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	<p>The Mini Retractable Tool Lanyard is the ultimate small retractable tool lanyard. It has a compact and efficient design making it ideal for holster or pouch use and quickly attaches to the D Ring anchors with an easy-to-use carabiner.</p> <p>The PU-coated wire cable is easy to clean and engineered for intense daily use. The Mini Retractable Tool Lanyard also has a 360° split ring connector for direct attachment to shaped tools, or tools with a captive hole.</p>	
FEATURES	<p>Ultra-compact and lightweight design is ideal for holster and pouch use</p> <p>PU-coated wire cable is durable and easy to clean</p> <p>Retractable design reduces snagging hazards in confined spaces</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 0.5 KG / 1.1 LBS</p> <p>Safety Standards: CE / UKCA</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)</p> <p>Unique Serial Number</p> <p>Dimensions: Extends from 17cm to 138cm</p>	
RETAIL	<p>EAN (GTIN-13)</p> <p>5060572180383</p>	<p>UNIT WEIGHT (G)</p> <p>65</p>
SHIPPING	<p>HS CODE</p> <p>7907.00.0000</p>	<p>COUNTRY OF ORIGIN</p> <p>USA</p>



Mini Retractable Tool Lanyard

Product Code: 101480

View online

<https://neverletgo.com/products/mini-retractable-tool-lanyard/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
