

NLG Mini Adhesive D Ring Product Code: 101481 Max Load: 1 KG / 2.2 LBS



OVERVIEW

The Mini Adhesive D Ring is a quick and easy way to create a permanent tether point on tricky tools and devices. Utilising trusted 3M[®] adhesive technology the Mini Adhesive D Ring creates an ultra-secure tether point to attach a tool lanyard even on curved surfaces.

VIEW ONLINE

https://neverletgo.com/products/mini-adhesiv e-d-ring/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	The Mini Adhesive D Ring is a quick and easy way to create a permanent tether point on tricky tools and devices. Utilising trusted 3M [®] adhesive technology the Mini Adhesive D Ring creates an ultra-secure tether point to attach a tool lanyard even on curved surfaces.	
FEATURES	Uses trusted 3M [®] adhesive technology to create fast sticking tether point Ideal for phones, electronic equipment and small tools Pairs perfectly with the Mini Coil Lanyard (101371)	
TECHNICAL SPECIFICATION	Max Load: 1 KG / 2.2 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) Dimensions: 30mm (L) x 20mm (W) Max Lanyard Length: 120 CM / 48 IN	
RETAIL	EAN (GTIN-13) 5060572180161	UNIT WEIGHT (G) 1
SHIPPING	HS CODE 3926.90.9790	COUNTRY OF ORIGIN USA



Mini Adhesive D Ring Product Code: 101481

View online https://neverletgo.com/products/mini-ad hesive-d-ring/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks.