

# NLG Heavy Duty Anchor Choke™

Product Code:  
101494

Max Load:  
40 KG / 88 LBS



## OVERVIEW

The Heavy Duty Anchor Choke™ has been designed for heavier tools that need securing to a fixed point such as a beam or railing. Constructed from a high-strength webbing it can be quickly cinched around a beam to create a secure anchor point for heavier tools.

## VIEW ONLINE

<https://neverletgo.com/products/anchor-choke/>



**NLG ID™**  
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



**Third-party  
tested and certified**

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact [team@neverletgo.com](mailto:team@neverletgo.com).

DESCRIPTION	<p>The Heavy Duty Anchor Choke™ is like the rest of the Choke™ family but even bigger and stronger.                  Designed to make a fast and secure anchor point for tool lanyards and storage equipment it safely wraps around scaffolding, rails and beams and provides a strong V-Ring for connectors to attach to. The extended length means that it still works with larger beams.                  Because of the twin securing arms which can be locked with NLG's approved Tether Tape™, the Anchor Choke™ can also be used to create an attachment point on heavier tools, like breakers, up to 40KG.</p>	
FEATURES	<p>Twin securing arm guards against movement on rails and allows it to be used as a tether point on tools                  Optimised V-Ring design for extreme performance                  Extra high-strength webbing delivers ultimate peace of mind                  Wear protector sleeve provides an additional layer of structural protection                  Faster visual inspections with heavy-duty contrast stitching                  Compatible with Tether Tape™</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 40 KG / 88 LBS                  Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC                  Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)                  NLG ID™ Technology / Scannable Compatible                  Unique Serial Number                  Dimensions: 600mm (L) x 25mm (W)</p>	
RETAIL	<p><b>EAN (GTIN-13)</b>                  5060572180635</p>	<p><b>UNIT WEIGHT (G)</b>                  80</p>
SHIPPING	<p><b>HS CODE</b>                  6307.90.9899</p>	<p><b>COUNTRY OF ORIGIN</b>                  Poland</p>



# Heavy Duty Anchor Choke™

Product Code: 101494

---

View online

<https://neverletgo.com/products/anchor-choke/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

---

## CONTACT

+44 (0)330 016 0030

[neverletgo.com](https://neverletgo.com)

---

## INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

---

## LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.

---