

NLG Aluminium Screwgate Carabiner Product Code: 101525 Max Load: 5 KG / 11 LBS



OVERVIEW

The NLG Aluminium Screwgate Carabiner is a lightweight, durable and versatile addition to any tethering system. With a simple and secure screwgate that's easy to operate even with gloves on, the Aluminium Screwgrate Carabiner is essential in every kit.

VIEW ONLINE

https://neverletgo.com/products/carabiner-sc rewgate/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	The NLG Aluminium screwgate carabiner has been designed to be a quick, lightweight addition to your tethering system - whether you are looking to create a quick tool holster off your belt, or create a multi-tool staging point within your bags this carabiner will be your go-to. Boasting a great strength-to-weight ratio, this lightweight carabiner features a secure screwgate that is easy to do/undo even when wearing gloves. With a large gate opening this carabiner is compatible with any of the NLG D ring range, making it a highly versatile addition to any tethering kit.	
FEATURES	Durable and lightweight aluminium cor Screwgate closure for added security	nstruction
TECHNICAL SPECIFICATION	Max Load: 5 KG / 11 LBS	
	Dimensions: 80mm (L) x 45mm (W)	
RETAIL	EAN (GTIN-13) 5060572180932	UNIT WEIGHT (G) 25
SHIPPING	HS CODE 7616.99.9099	COUNTRY OF ORIGIN Taiwan



Aluminium Screwgate Carabiner Product Code: 101525

View online https://neverletgo.com/products/carabin er-screwgate/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks.