

NLG Heavy Duty Carabiner, Internal Wiregate Product Code: 101549 Max Load: 50 KG / 110 LBS



OVERVIEW

NLG Heavy Duty Carabiner with Internal Wiregate is a versatile carabiner featuring an internal wiregate for added security. Constructed of a durable forged aluminium and with an abundance of possible uses, The HD Carabiner is a welcome addition to any kit.

VIEW ONLINE

https://neverletgo.com/products/carabiner-he avy-duty/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	The NLG Heavy Duty Carabiner with Int versatile addition to any tethering syst of stowing items from a daisy chain or the buckets the HD Carabiner has endl system. The secure screwgate is easy to opera secure attachment. Whilst the interna whether that's on a daisy chain or lanya The durable forged aluminium constru strength-to-weight ratio making this c tethering system.	em. Designed to create a simple way even shortening the lifting straps on ess applications within a tethering te even with gloves and provides a l wiregate keeps the carabiner in place ard. ction provides an excellent
FEATURES	Heavy-duty forged aluminium construct Screwgate closure for added security Internal wiregate to keep carabiner in p	
TECHNICAL SPECIFICATION	Max Load: 50 KG / 110 LBS	
	Dimensions: 100mm (L) x 70mm (W)	
RETAIL	FAN (GTIN-13)	LINIT WEIGHT (G)

	5060572180680	78
SHIPPING	HS CODE 7616.99.9099	COUNTRY OF ORIGIN Taiwan



Heavy Duty Carabiner, Internal Wiregate Product Code: 101549

View online https://neverletgo.com/products/carabin er-heavy-duty/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG ° and Never Let Go ° are registered trademarks.