

# NLG Spacenet™ 2.0

Product Code:  
101672

Max Load:  
20 KG / 44 LBS



## OVERVIEW

The NLG Spacenet™ is an innovative catch net designed as a backup system for any falling material or tools. Packed with unique features, whilst being lightweight and durable The NLG Spacenet™ is the ideal backup solution for falling objects when working at height.

## VIEW ONLINE

<https://neverletgo.com/products/spacenet/>

**NLG ID™**  
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).

**Third-party tested and certified**

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact [team@neverletgo.com](mailto:team@neverletgo.com).

DESCRIPTION

The Spacenet™ is a strong catch net designed as a backup system to catch falling materials when working at height. A durable, lightweight aluminium fold-out frame helps to maintain the Spacenet™ structure during use and along with the adjustable slings makes it easy to set up and adjust to any rigging situation. Easy to transport from site to site The Spacenet™ can be simply collapsed and rolled up into a compact and manageable package. The lower zip allows the Spacenet™ to be emptied easily after use whilst the built-in air vents allow the breeze to pass through the net and allow the net to be used in low-windspeed environments. Pair with the Impact Zone Mat (101673) to create an even more durable product.

FEATURES

Features fully removable, adjustable slings for adapting to any rigging scenario.  
 Lightweight aluminium frame keeps a rigid structure and helps reduce dynamic impact forces from falling objects and debris  
 Can be easily collapsed and rolled for transportation  
 Features an easy-empty zip on the base  
 Built-in air vents allow airflow in windy conditions  
 Internal hook and loop fasteners for easy installation of NLG Spacenet™ Impact Zone Mat (101673)

TECHNICAL SPECIFICATION

Max Load: 20 KG / 44 LBS  
  
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)  
 NLG ID™ Technology / Scannable Compatible  
 Unique Serial Number  
 Dimensions: 1m (H) x 1m (W) x 2m (D)

RETAIL

**EAN (GTIN-13)**  
 5060572181113

**UNIT WEIGHT (G)**  
 9000

SHIPPING

**HS CODE**  
 4202.92.9890

**COUNTRY OF ORIGIN**  
 Poland



Spacenet™ 2.0  
Product Code: 101672

---

View online

<https://neverletgo.com/products/spacenet/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

---

CONTACT

+44 (0)330 016 0030

[neverletgo.com](https://neverletgo.com)

---

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

---

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.

---