

NLG Rope/Pro™ Bucket

Product Code:
101680

Max Load:
50 KG / 110 LBS




OVERVIEW

The Rope/Pro™ Bucket is a lightweight yet extremely durable tool and rope bucket. The bucket features load-rated lifting handles and is constructed from our unique Innervis™ material which provides increased interior visibility and superb protection from the elements.


VIEW ONLINE

<https://neverletgo.com/products/rope-pro-bucket/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

The Rope/Pro™ Bucket is a lightweight and durable all-in-one solution for storing ropes and lifting heavy equipment in a compact bucket format. Featuring our unique Innervis™ material, the Rope/Pro™ Bucket will keep the contents safe and easy to manage due to the excellent interior visibility and superb protection from the elements.

The bucket features a heavy-duty handle and dual lifting slings making it easy to transport heavy loads in any condition. With safety in mind, the combination of a durable roll-top closure and compression strap ensures the contents are secure, even if inverted.

Internally the Bucket features 6 load-rated anchor points for attaching tools and if transporting rope the dual colour-coded loops at the base and top make it easy to organise and manage.

FEATURES

Innervis™ material provides increased interior visibility and protection from the elements
 Load-rated lifting handle
 Weather-resistant roll-top closure
 The combination of roll-top closure and compression strap keeps the contents secure even when inverted
 Load-rated external daisy chain loops
 Reinforced base with drainage holes

TECHNICAL SPECIFICATION

Max Load: 50 KG / 110 LBS, Internal Anchor Point / Daisy Chain Max Load: 5 KG / 11 LBS (each)
 Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC, EN 1492-1
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)
 NLG ID™ Technology / Scannable Compatible
 Unique Serial Number
 Dimensions: 40cm (H) x 32cm (W) x 32cm (D)
 Max Lanyard Length: 200 CM / 78 IN
 Capacity: 30 L

RETAIL

EAN (GTIN-13)
 5060572181243

UNIT WEIGHT (G)
 1645

SHIPPING

HS CODE
 4202.92.9890

COUNTRY OF ORIGIN
 Hong Kong



Rope/Pro™ Bucket
Product Code: 101680

View online

<https://neverletgo.com/products/rope-pro-bucket/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
