

# NLG Ascent Mini™

Product Code:  
101690

Max Load:  
3 KG / 6.6 LBS



## OVERVIEW

The Ascent Mini™ features a unique Pop-Stop™ closure which provides easy one handed access without reducing bag capacity when closed. The pouch is ideal for securely storing small tools or fixtures and is constructed from our unique and ultra-durable Megatex™

## VIEW ONLINE

<https://neverletgo.com/products/ascent-mini/>



## NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



## Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact [team@neverletgo.com](mailto:team@neverletgo.com).

DESCRIPTION	<p>The Ascent Mini™ is a small pouch ideal for storing tools or small fixings. Featuring a unique Pop-Stop™ closure which provides easy one handed access without reducing capacity when closed. Internally it features a single load-rated anchor point ideal for securing a tool lanyard.</p> <p>Constructed from Megatex™, the Ascent Mini™ is extremely durable and made to withstand harsh environments and forces. Megatex™ is up to 7 times more abrasion-resistant than premium military-grade fabric.</p>	
FEATURES	<p>Constructed of our highly abrasion-resistant and durable Megatex™</p> <p>Unique Pop-Stop™ closure which provides easy one handed access</p> <p>Integrated anchor point for tool lanyard attachment</p> <p>Universal fit with Quick Connect™ buckle or metal D ring for easy attachment</p> <p>Reinforced and raised bottom panel with drainage hole</p>	
TECHNICAL SPECIFICATION	<p>Max Load: 3 KG / 6.6 LBS</p> <p>Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor), Static (7:1 Safety Factor)</p> <p>NLG ID™ Technology / Scannable Compatible</p> <p>Unique Serial Number</p> <p>Dimensions: 20cm (H) x 16cm (W) x 16cm (D)</p> <p>Max Lanyard Length: 200 CM / 78 IN</p> <p>Capacity: 3 L</p>	
RETAIL	<p>EAN (GTIN-13)</p> <p>5060572181472</p>	<p>UNIT WEIGHT (G)</p> <p>340</p>
SHIPPING	<p>HS CODE</p> <p>4202.92.9890</p>	<p>COUNTRY OF ORIGIN</p> <p>Hong Kong</p>



Ascent Mini™  
Product Code: 101690

---

View online

<https://neverletgo.com/products/ascent-mini/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

---

CONTACT

+44 (0)330 016 0030

[neverletgo.com](https://neverletgo.com)

---

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

---

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.

---