

NLG Angle Grinder Bracket Product Code: 101691 Max Load: 3 KG / 6.6 LBS



OVERVIEW

The NLG Angle Grinder Bracket is a simple and secure solution to create a tether point on your angle grinder. With a universal fit the bracket attaches to the angle grinder by the handle, creating a safe and secure tether point on the tool to attach a tool lanyard.

VIEW ONLINE

https://neverletgo.com/products/angle-grinde r-bracket/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	The NLG Angle Grinder Bracket is a simple and secure solution to create a tether point on your angle grinder. The bracket attaches to the angle grinder by the handle, creating a safe and secure tether point on the tool to attach a tool lanyard. Constructed from laser-cut stainless steel the Angle Grinder bracket is durable and suitable for the harshest work environments.	
FEATURES	Heavy-duty construction Easy installation to the angle grinder's Universal fit	handle
TECHNICAL SPECIFICATION	Max Load: 3 KG / 6.6 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID [™] Technology / Scannable Compatible Unique Serial Number Dimensions: 60mm (H) x 30mm (W) Max Lanyard Length: 200 CM / 78 IN	
RETAIL	EAN (GTIN-13) 5060572181304	UNIT WEIGHT (G) 90
SHIPPING	HS CODE 8302.4190.00	COUNTRY OF ORIGIN UK



Angle Grinder Bracket Product Code: 101691

View online https://neverletgo.com/products/angle-gr inder-bracket/

Learn more about: Dropped object prevention Tool tethering Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG [©] and Never Let Go [©] are registered trademarks.