

NLG GO™ Non-Conductive Bungee Tool Lanyard

Product Code:
101709

Max Load:
3 KG / 6.6 LBS



OVERVIEW

As part of our GO™ range, the GO™ Non-Conductive Bungee Lanyard provides excellent value and performance. The non-conductive construction makes it ideal for environments where metal-free equipment is required with the easy-stretch bungee making it comfortable to use all day.

VIEW ONLINE

<https://neverletgo.com/products/non-conductive-bungee-tool-lanyard/>



NLG ID™ Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

| | | |
|-------------------------|--|--|
| DESCRIPTION | <p>The GO™ Non-conductive Bungee Tool Lanyard provides an excellent balance of value and performance. As part of our GO™ range, it's economical in price without compromising on what matters. Unlike other low-cost tool lanyards, the GO™ Non-conductive Bungee Tool Lanyard is serial numbered for easy inspection, CE marked, third-party tested and certified for drop prevention. Constructed of an easy-stretch bungee with two durable climbing cord loops for easy attachment, this lanyard has metal-free construction making it ideal for work environments that demand non-conductive equipment. Use the toggle locks to secure the choke in place once installed on the tool.</p> | |
| FEATURES | <p>Non-conductive design Easy-stretch bungee provides comfort for all-day use Dual durable climbing cord loops for easy cinching</p> | |
| TECHNICAL SPECIFICATION | <p>Max Load: 3 KG / 6.6 LBS Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: Extends from 100cm to 135cm</p> | |
| RETAIL | <p>EAN (GTIN-13) 5060572181397</p> | <p>UNIT WEIGHT (G) 50</p> |
| SHIPPING | <p>HS CODE 5609.00.0000</p> | <p>COUNTRY OF ORIGIN Taiwan</p> |



GO™ Non-Conductive Bungee Tool Lanyard

Product Code: 101709

View online

<https://neverletgo.com/products/non-conductive-bungee-tool-lanyard/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
