

NLG Heavy Duty FR Tool Lanyard

Product Code:
101716

Max Load:
20 KG / 44 LBS




OVERVIEW

The Heavy Duty FR lanyard is built to be relied upon in the toughest work environments. Featuring a flame retardant ultra-durable Aramid fibre construction, a heavy-duty twistlock carabiner and a Dyneema® loop, it truly was built with durability and ease of use in mind.


VIEW ONLINE

<https://neverletgo.com/products/fire-retardant-tool-lanyard/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION

The Heavy Duty FR Lanyard is an ideal solution for law enforcement and military applications due to its stealth black colourway and ultra-durable fire-resistant construction.

Designed with ultra-durability and ease of use in mind, the Heavy Duty FR Lanyard is constructed from Aramid fibres and the highest quality hardware. At one end it features a Dyneema® loop and at the other, it features a heavy-duty automatic twistlock carabiner that is easy to operate even with gloves on.

Aramid fibres are known for their extremely high strength-to-weight ratio and are often used in bulletproof vests, aeroplanes and even spaceships. You couldn't pick a better material to secure your tool.

The stealth black colourway and hidden tag allow for easy concealment in tactical scenarios.

The Heavy Duty FR Lanyard truly is the ultimate lanyard for harsh work environments and use during hot works, including welding and grinding, thanks to the fire-resistant properties of the Aramid fibres.

FEATURES

Automatic Twistlock carabiner for superior performance and security
 Stealth black colourway with concealed tags
 Fire-resistant and tough Aramid fibre construction
 Ultra-durable Dyneema® cinching loop

TECHNICAL SPECIFICATION

Max Load: 20 KG / 44 LBS
 Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC
 Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor)
 NLG ID™ Technology / Scannable Compatible
 Unique Serial Number
 Dimensions: Extends from 90cm to 140cm

RETAIL

EAN (GTIN-13)
 5060572181410

UNIT WEIGHT (G)
 175

SHIPPING

HS CODE
 5609.00.0000

COUNTRY OF ORIGIN
 Taiwan



Heavy Duty FR Tool Lanyard

Product Code: 101716

View online

<https://neverletgo.com/products/fire-retardant-tool-lanard/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
