

## NLG AirPark™, Grey Product Code: 101717

Max Load: 10 KG / 22 LBS



#### **OVERVIEW**

The NLG AirPark™ is a highly versatile non-gated tool keeper, ideal for docking tools such as drills and chainsaws when not in use. The AirPark™ easily fits onto your harness or tool belt and can hold up to 10KG of weight, making it an essential addition to any worker's kit.

#### VIEW ONLINE

https://neverletgo.com/products/airpark-grey/



## NLG **ID**<sup>™</sup> Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



# Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

NEVERLETGO.COM 1

DESCRIPTION	The NLG AirPark™ is a non-gated tool keeper, primarily designed for drills and chainsaws, but can be used in a variety of applications to dock a tool or piece of equipment.  The non-gated design allows for quick and easy access to tools hung from it whilst the return on the end of the product stops tools from easily slipping out.  Designed for universal use The AirPark™ has a 10KG load rating and can easily fit onto 45-50mm webbing and padded belts. The unique locking system	
FEATURES	Non-gated design allows for easy docking Unique hook end helps prevent tool from falling out Easily fits most drills and chainsaws Unique locking system prevents belt from slipping out of the clip	
TECHNICAL SPECIFICATION	Max Load: 10 KG / 22 LBS	
	Dimensions: 10cm(H)x6cm(W)	
RETAIL	EAN (GTIN-13) 5060572181441	UNIT WEIGHT (G) 45
SHIPPING	HS CODE 3908.90.0090	COUNTRY OF ORIGIN China

NEVERLETGO.COM 2



### AirPark™, Grey

Product Code: 101717

View online

https://neverletgo.com/products/airpark-grey/

Learn more about:
Dropped object prevention
Tool tethering
Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
	© Click to download Inspection Checklist
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.  Copyright © 2023. NLG ® and Never Let Go ® are registered trademarks.

NEVERLETGO.COM 3