

NLG Rope/Pro Pouch™

Product Code:
101718

Max Load:
5 KG / 11 LBS




OVERVIEW

The Rope/Pro Pouch™ is a lightweight tool pouch designed with a focus on safety and ergonomics. Constructed from our custom Innervis™ material which is supple yet ultra-durable and featuring a unique single-handed closure system, the Rope/Pro Pouch™ is the ideal companion for those working at height.

VIEW ONLINE

<https://neverletgo.com/products/rope-pro-pouch/>



NLG ID™
Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

DESCRIPTION	<p>The Rope/Pro™ Pouch is a lightweight and durable tool pouch which is the perfect companion when working at height.</p> <p>The unique weather-resistant quick-cinch closure provides easy access to the pouches' contents with easy one-handed operation.</p> <p>Internally the Rope/Pro™ Pouch features 4 load-rated anchor points that can be used to securely attach tools.</p> <p>Constructed from our unique Innervis™ material, the Rope/Pro™ Pouch will keep the contents safe and easy to manage due to the excellent interior visibility and superb protection from the elements.</p>
-------------	--

FEATURES	<p>Innervis™ material provides increased interior visibility and protection from the elements</p> <p>Unique opening system allows for easy access and one-handed operation</p> <p>Universal fit with Quick Connect™ buckle or metal D ring for easy attachment</p> <p>4 integrated anchor points for multiple tool lanyard attachment</p> <p>Reinforced base with drainage holes</p> <p>Load-rated external daisy chain for easily attaching items to the pouch</p>
----------	---

TECHNICAL SPECIFICATION	<p>Max Load: 5 KG / 11 LBS, Internal Anchor Point / Daisy Chain Max Load: 5 KG / 11 LBS (each)</p> <p>Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC</p> <p>Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor), Static (7:1 Safety Factor)</p> <p>NLG ID™ Technology / Scannable Compatible</p> <p>Unique Serial Number</p> <p>Dimensions: 30cm (H) x 18cm (W) x 18cm (D)</p> <p>Max Lanyard Length: 200 CM / 78 IN</p> <p>Capacity: 7 L</p>
-------------------------	--

RETAIL	<p>EAN (GTIN-13)</p> <p>5060572181489</p>	<p>UNIT WEIGHT (G)</p> <p>470</p>
--------	--	--

SHIPPING	<p>HS CODE</p> <p>4202.92.9890</p>	<p>COUNTRY OF ORIGIN</p> <p>Hong Kong</p>
----------	---	--



Rope/Pro Pouch™
Product Code: 101718

View online

<https://neverletgo.com/products/rope-pro-pouch/>

Learn more about:

[Dropped object prevention](#)

[Tool tethering](#)

[Tool lanyards](#)

Useful resources:

[Tool Box](#)

[Tool Tether Guide](#)

[Library](#)

CONTACT

+44 (0)330 016 0030

neverletgo.com

INSPECTION

In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.

[Click to download Inspection Checklist](#)

LEGAL

NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions.

Copyright © 2023. NLG® and Never Let Go® are registered trademarks.
