

NLG Flex Linesman Bag Product Code: 101723

Max Load: 30 KG / 66 LBS



OVERVIEW

The Flex Linesman Bag is a versatile and compressible tool bag designed to keep tools close, accessible and securely tethered. Full of load-rated anchor points, secure pockets and innovative closures the Flex Linesman Bag will keep your tools secure even in the most challenging environments.

VIEW ONLINE

https://neverletgo.com/products/flex-linesma n-bag/



NLG **ID**[™] Serialised and safe

Simply scan the NLG ID tag with your phone to instantly access certificates, instruction videos and log inspections. (See Specification if included).



Third-party tested and certified

Independent laboratory load testing certificates and Declarations of Conformity are available on request. Please contact team@neverletgo.com.

NEVERLETGO.COM 1

SHIPPING

DESCRIPTION The Linesman Bag is a specialist bag that is designed for industrial climbers who need to keep their tools close, easily accessible and securely tethered. It is the bag of choice for those working in the harshest environments with a unique closure system on all openings to secure bag contents and protect against external elements. Unlike the standard Linesman Bag the Flex Linesman Bag is constructed of a maluble PVC that's ideal for restricted spaces. The multi-pocket design of the Flex Linesman Bag (two large and two small pockets) combines an array of load-tested attachment points for tool lanyards (4 external tool holders and 8 rings for attachment) with the pocket's innovative bag closures to prevent the risk of accidental spillage in transit. The pocket's closures can be rolled back once in the work position to allow easy access. The Flex Linesman Bag is manufactured using a combination of reinforced PVC and specially developed Mega Mesh[™] to create a tough and rot-proof The universal Quick Connect™ clips on the rear of the bag allow it to be easily attached to a belt, harness or handrail. **FEATURES** Compressible design ideal for restrictive spaces Multiple pockets ideal for organisation Mega Mesh[™] provides improved visibility, drainage and ventilation 8 integrated anchor points for multiple tool lanyard attachment 4 external tool holders provide a full tool tethering setup Constructed from heavy-duty PVC which is UV-stabilised, mildew resistant and easy to wipe clean Built-in drain vents to keep tool bag ventilated and dry Universal fit with Quick Connect™ buckles for easy attachment TECHNICAL SPECIFICATION Max Load: 30 KG / 66 LBS, Internal Anchor Point / Daisy Chain Max Load: 5 KG / 11 LBS (each) Safety Standards: ANSI/ISEA 121-2018, CE / UKCA, NS 9611:2022+AC Load Tested and Third-party Certified: Dynamic (2:1 Safety Factor) NLG ID™ Technology / Scannable Compatible Unique Serial Number Dimensions: 34cm (H) x 29cm (W) x 14cm (D) Max Lanyard Length: 200 CM / 78 IN RETAIL EAN (GTIN-13) UNIT WEIGHT (G) 5060572181472 900

NEVERLETGO.COM 2

COUNTRY OF ORIGIN

Taiwan

HS CODE

4202.92.9890



Flex Linesman Bag

Product Code: 101723

View online

https://neverletgo.com/products/flex-line sman-bag/

Learn more about:
Dropped object prevention
Tool tethering
Tool lanyards

Useful resources: Tool Box Tool Tether Guide Library

CONTACT	+44 (0)330 016 0030 neverletgo.com
INSPECTION	In addition to routine checks before each use, all equipment should undergo regular detailed inspections, conducted and recorded by a competent person using the NLG Inspection Checklist. If any part is worn or shows signs of degradation, immediately retire from service. In the event of a drop, quarantine the equipment for a thorough inspection.
LEGAL	NLG makes every effort to ensure the information in this Datasheet is accurate and current. However, NLG reserves the right to change the product specification when necessary. NLG cannot be held responsible for any inaccuracies or omissions. Copyright © 2023. NLG ® and Never Let Go ® are registered trademarks.

NEVERLETGO.COM 3